## ##Dissolve ShaderGraph##

## ##URP v7.3.1

# **#Developped by nott**

## ##Description

All shaders are created in ShaderGraph.

You can achieve more extensions through subgraph.

For instructions on SubGraph, please open the shadergraph panel to view.

# ATTENTION TO USER:

Directional dissolve needs to be achieved by controlling DissolveOffest or DissolveDirection. Please confirm the coordinate system before use.

## ##PARAMETERS

#BaseColor

#BaseMap

#NormalMap

#NormalScale

#Tiling

#Offest

 ${\tt \#R\_Metallic}, \ {\tt G\_Occulsion,A\_Smoothness}$ 

Channel packing consistent with Unity

#Metallic

#OcclusionStrength

#Smoothness

#OcclusionMap

#OcclusionStength

#RGB\_SpecularMap,A\_Smoothness

Channel packing

RGB SpecularMap

## A Smoothness

#SpecularColor

#UseSpecularMap

Weight between SpecularColor and SpecularMap

#DissolveThe weight value of dissolving, 1 means all dissolving, and vice versa

#NoiseScale

Scaling of the noise mask

#NoiseUVSpeed

The flow velocity of the noise mask

#EdgeWidth

Dissolve boundary width

#EdgeColor

Dissolve boundary color

#EdgeColorIntensity

Color intensity of the border

#DissolveOffest

Dissolved offset point

#DissolveDirection

#DiertionEdgeWithScale

#DissolveDirection Is EulerAngle

The unit of DissolveDirection is Euler angle

#UseWorldSpace

The default is

Localspace

#UseWorldOrigin

It will only take effect when UseWorldSpace is turned on.

DissolveOffest origin is WorldOrigin